

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
Pantone Color	MIXING CLEAR	PROCESS YELLOW	ORANGE	032 RED	VIOLET	RUBINE	RHODAMINE	PROCESS MAGENTA	PURPLE	WARM RED	PROCESS BLUE	REFLEX BLUE	GREEN	SHADING BLACK	TRANS WHITE
Yellow C	24.93	75.07													
Yellow 012 C	10.67	89.33													
Orange 021 C		30	70												
Warm Red C	8.05		71.64				20.31								
Bright Red C			98.34			1.66									
Red 032 C	22.61		6.23	71.16											
Rubine Red C	11.17			16.3		72.53									
Rhodamine Red C	22.95						75.62			1.43					
Pink C	40.91						23.86	20.06	15.17						
Purple C	41.94								58.06						
Medium Purple C					29.26				63.65			7.09			
Violet C							64.9					35.1			
Blue 072 C									2.73			97.27			
Dark Blue C	32.22							5.07				62.71			
Reflex Blue C												92.15		7.85	
Process Blue C											100				
Green C											3.89		96.11		
Black C		6.85												93.15	
Black2 C		41.81												58.19	
Black3 C		10.9												89.1	
Black4 C		31.59				7.25								61.16	
Black5 C		16.32					32.86							50.82	
Black6 C												41.79		58.21	
BlackK7 C	47.29	2.85												49.86	
100 C	77.13	22.87													
101 C	58.15	41.85													
102 C	1.8	98.2													
103 C	12.98	71.82	11.08								4.12				
104 C	16.57	61.76	15.2								6.47				
105 C	5.84	53.59	27.39								13.18				
106 C	63.64	36.36													
107 C	52.27	47.73													
108 C	27.52	71.65	0.83												
109 C	24.79	72.7	2.51												
110 C	16.76	68.45	12.27								2.52				
111 C		87.53	5											7.47	
112 C	21.73	63.61	3.89											10.77	
113 C	66.91	32.09	1												
114 C	59.94	38.74	1.32												
115 C	53.57	44.64	1.79												
116 C	8.84	88.22	2.94												
117 C	1.73	78.23	16.25								3.79				
118 C	7.3	62.31	23.33								7.06				
119 C		57.62	29.46								12.92				
120 C	72.54	25.08	2.38												
121 C	70.24	27.19	2.57												

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
122 C	52.2	43.88	3.92												
123 C	44.85	49.82	5.33												
124 C	26	60.77	12.17								1.06				
125 C	5.3	62.55	26.13								6.02				
126 C		55.84	33.53								10.63				
1205 C	80.05	17.75	2.2												
1215 C	71.7	24.06	4.24												
1225 C	56.7	37.2	6.1												
1235 C	43.1	48	8.9												
1245 C	26.56	51.36	18.56								3.52				
1255 C	25.59	44.03	23.67								6.71				
1265 C	1.05	49.89	36.04								13.02				
127 C	74.33	24.09		1.58											
128 C	63.77	33.84		2.39											
129 C	64.21	33.82		1.97											
130 C	33.26	58.96		7.78											
131 C	17.69	63.83		15.51							2.97				
132 C	13.73	57.83		20.86							7.58				
133 C		53.85		29.12							17.03				
134 C	72.82	22.18	5												
135 C	66.37	26.7	6.93												
136 C	59.19	32.29	8.52												
137 C	26.48	58	15.52												
138 C	5.08	56.49	36.2								2.23				
139 C	3.52	48.73	40.51								7.24				
140 C	21.44	41.59	15.42											21.55	
1345 C	79.6	14.25	6.15												
1355 C	74.25	17.99	7.76												
1365 C	54.26	32.87	12.87												
1375 C	36	45.15	18.85												
1385 C	7.55	50.66	38.83								2.96				
1395 C		42.59	47.27								10.14				
1405 C	4.9	48.98	21.92											24.2	
141 C	67.09	28.31		4.6											
142 C	62.5	31.95		5.55											
143 C	50.66	45.77						3.57							
144 C	17.19	74.03						8.78							
145 C	15.46	72.79						9.73						2.02	
146 C	17.13	65.22						9.77						7.88	
147 C	32.25	44.14						3.96						19.65	
148 C	83.15	10.12	6.73												
149 C	77.44	12.82	9.74												
150 C	67.87	18.91	13.22												
151 C	16.52	48.17	35.31												
152 C	4.97	52.65	40.7											1.68	
153 C	8.23	49.71	36.36											5.7	
154 C	9.72	43.62	35.21											11.45	
1485 C	61.96	16.68	21.36												

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
1495 C	16.12	44.68	39.2												
1505 C		55.31	44.69												
1525 C		42.48								52.04	5.48				
1535 C	4.26	29.71	52.41											13.62	
1545 C	14.08	26.37	34.02											25.53	
155 C	89.77	8.32						1.91							
156 C	80.3	16.24						3.46							
157 C	61.25	32.2						6.55							
158 C	21.41	65.19						13.4							
159 C		78.39						19.47						2.14	
160 C		72.79						19.17						8.04	
161 C		59.29						14.36						26.35	
1555 C	81.99	4.44	13.57												
1565 C	63.59	10.73	25.68												
1575 C	26.75	26.91	46.34												
1585 C	6.46	34.99	58.55												
1595 C	0.62	36.81	59.74											2.83	
1605 C	6.16	33.39	50.85											9.6	
1615 C		32.89	51.4											15.71	
162 C	85.03	2.38	12.59												
163 C	72.03	4.42	23.55												
164 C	44.76	11.26	43.98												
165 C	7.7	19.95	72.35												
166 C		49.01								50.19				0.8	
167 C		44.82								50.9				4.28	
168 C		28.47								50.91				20.62	
1625 C	75.75		24.25												
1635 C	63.25		36.75												
1645 C	17.76	2.64	79.6												
1655 C			100												
1665 C		36.78								62.43				0.79	
1675 C		30.12								62.77				7.11	
1685 C		23.05								62.18				14.77	
169 C	87.06		10.19				2.75								
170 C	62		32.14				5.86								
171 C	2.1		81.74							16.16					
172 C		33.42								66.58					
173 C		19.7								77.25			3.05		
174 C		14.8								75.2				10	
175 C		6.47								66.97				26.56	
176 C	87.8		6.2				6								
177 C	62.4		22.6				15								
178 C	32.09		45.89				22.02								
179 C			83.19				15.9					0.91			
180 C	6.34		84.67			5.03					3.96				
181 C	7		65.07							11.21				16.72	
1765 C	84.73		6.75				8.52								
1775 C	74.48		12.23				13.29								

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
1785 C	26		39.6				34.4								
1788 C			64.44				35.56								
1795 C	9.86		74.65					14.61				0.88			
1805 C			59.46	36.78								3.76			
1815 C			27.38							56.48				16.14	
1767 C	89.61		4.43				5.96								
1777 C	50.53		23.7				25.77								
1787 C	17.34						38.55			44.11					
1797 C							36.76			61.67				1.57	
1807 C								26.78		64.64			8.58		
1817 C	12.55						13.54			50.7				23.21	
182 C	93.48		1.65				4.87								
183 C	82.53		6.09				11.38								
184 C	34.55		27.86				37.59								
185 C	15.29			84.71											
186 C	11.2			87.75								1.05			
187 C			5.57	90.58								3.85			
188 C	4.06			79.1										16.84	
189 C	86.91		3.35				9.74								
190 C	65.06		11.97				22.97								
191 C	14.8		30.36				54.84								
192 C	5.11			58.61			36.28								
193 C				70.75			27.64					1.61			
194 C	12.05			56.59			23.51							7.85	
195 C	17.04			47.61			19.52							15.83	
1895 C	92.2			1.92			5.88								
1905 C	85.79			4.16			10.05								
1915 C	37.71			43.45			18.84								
1925 C				58.46			41.54								
1935 C				56.7				42.61				0.69			
1945 C				64.25					33.6					2.15	
1955 C				52.3				37.86						9.84	
196 C	95.5	1.64						2.86							
197 C	88.43	3.67						7.9							
198 C	37.64	13.28	11					38.08							
199 C				88.63		11.37									
2001 C	84.65	13.03	2.32												
2002 C	81.76	16.35	1.89												
2003 C	74.19	24.61	1.2												
2004 C	75.96	20.92	3.12												
2005 C	77.38	17.35	5.27												
2006 C	63.3	27.4	8.57									0.73			
2007 C	29.67	53.3	15.49									1.54			
2008 C	77.45	19.93						2.62							
2009 C	68.95	27.53						3.52							
2010 C		85.1	14.9												
2011 C	39.31	53.89	6.8												
2012 C	9.39	83.88						6.73							

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2013 C		74.95	25.05												
2014 C		64.91	30.21											4.88	
2015 C	89.17	4.12	6.71												
2016 C	67.48	14.27	18.25												
2017 C	52.56	9.91	16.08										0.91		20.54
2018 C		56.7	43.3												
2019 C		50.1	47.61											2.29	
2020 C		42.11	53.34											4.55	
2021 C		31.49	56.38											12.13	
2022 C	80.1	3.41	9.06							7.43					
2023 C	65.71	6.35	20.68	7.26											
2024 C	47.08	10.53	28.84	13.55											
2025 C	32.98	21.31	45.71												
2026 C	15.18	16.39	45.86	22.57											
2027 C	16.85	10.45	30.18	42.52											
2028 C										100					
2029 C	73.63	2.3				3.85				20.22					
2030 C	66.58	4.6		27.78								1.04			
2031 C	57.43	6.01		35.22								1.34			
2032 C	46.46	7.41		44.46								1.67			
2033 C	29.98	9.51		58.26								2.25			
2034 C	24.57	5.79		69.64											
2035 C				100											
2036 C	93.67		1.11				5.22								
2037 C	86.77			1.39		1.51	10.33								
2038 C	67.24			5.9		2.01	24.85								
2039 C	40.38			12.5		4.62	42.5								
2040 C	1.13			43.68			49.33		5.86						
2041 C				52.4			42.42				5.18				
2042 C							11.54			71.29	17.17				
2043 C	95.61			1.61					2.78						
2044 C	86.09			4.54			4.54		4.83						
2045 C	73.73			9.46			15.87					0.94			
2046 C	57.16			15.56			25.4				1.88				
2047 C	25.2			25.94			37.7						11.16		
2048 C	7.87			34.33			43.68						14.12		
2049 C	27.89			63.12								8.99			
2050 C	98.59							1.41							
2051 C	95.36	1.31						2.66				0.67			
2052 C	89.13	3.01						6				1.86			
2053 C	79.59	5.64						11.24				3.53			
2054 C	68.79	10.69						14.1				6.42			
2055 C	56.3	15.16						19.82				8.72			
2056 C	31.05	21.43						33.88				13.64			
2057 C	86	2.45						10.03				1.52			
2058 C	70.37		9.56				14.51				5.56				
2059 C	76.81		7.93					11.35			3.91				
2060 C	76.51							12.18	9.4					1.91	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2061 C	60.5	3.58				31.1					4.82				
2062 C	64.36					26.05	6.32				3.27				
2063 C	44.11						3.95	46.82			5.12				
2064 C	89.31					1.52			9.17						
2065 C	89.16								10.6			0.24			
2066 C	82.45								17.02		0.53				
2067 C	69.52							4.02	25.02		1.44				
2068 C	55.95							6.45	35.33		2.27				
2069 C	45.04							8.68	43.19		3.09				
2070 C	26.81							16.78	51.35		5.06				
2071 C	90.61								7.33		2.06				
2072 C	84.36					1.65			10.77		3.22				
2073 C	83					2.15			10.45		4.4				
2074 C	67.09					4.66			21.09		7.16				
2075 C	61.1					6.55			22.2		10.15				
2076 C	55.92					7.51			26.52		10.05				
2077 C	36.34					11.3			37.69		14.67				
2078 C	90.93				5.25			1.04						2.78	
2079 C	82.49				9.12			2.39						6	
2080 C	78.84				13.83			3						4.33	
2081 C	69.73				19.88			4.61						5.78	
2082 C	61.17				24.82			6.67						7.34	
2083 C	62.82				12.86				21.31			3.01			
2084 C	36.71				33.57				29.72						
2085 C	97.06			0.66	2.28										
2086 C	78.97					5			9.2		6.83				
2087 C	68.1					1.55			22.36		7.99				
2088 C	48.82					2.35			36.15		12.68				
2089 C	34.03					1.88			48		16.09				
2090 C	23.39					1.01			57.55		18.05				
2091 C					31.52				52.71		15.77				
2092 C	91.65			1.19	5.25						1.91				
2093 C	85.06			5.17	5.55						4.22				
2094 C	76.88			8.23	8.49						6.4				
2095 C	68.5			5.35	19.1						7.05				
2096 C	58.54			6.89	25.67						8.9				
2097 C	53.4				13.57				20.28			12.75			
2098 C	28.23				26.43				27.6			17.74			
2099 C	83.12					0.77			9.5				6.61		
2100 C	84.64			2.5	9.53						3.33				
2101 C	76.76				19.36						3.88				
2102 C	46.51					10.09			23.85		19.55				
2103 C	27.69					13.62			31.95		26.74				
2104 C						17.08			47.65		35.27				
2105 C						24.75			44.44		30.81				
2106 C	90.52					3.36					1.95		4.17		
2107 C	78.62					7.11					2.05		12.22		
2108 C	64.26					12.26					2.83		20.65		

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2109 C	50.62					17.81					4.57		27		
2110 C	38.95					22.52					6.54		31.99		
2111 C	11.06					33.95					12.69		42.3		
2112 C									66.62		17.64		15.74		
2113 C	89.8				4.23			1.11			4.86				
2114 C	80.18					7.65					9.69	2.48			
2115 C	73.51					10.52					12.03	3.94			
2116 C	66.11					13.32					14.63	5.94			
2117 C	44.97					21.58					19.69	13.76			
2118 C									54.9		32.44			12.66	
2119 C									52.74		29.03			18.23	
2120 C	93.83								3.07		3.1				
2121 C	85.05		1.13						5.63		8.19				
2122 C	85.89								7.14		6.97				
2123 C	75.03								12.62		12.35				
2124 C	64.61								20		15.39				
2125 C	48.62								28.99		22.39				
2126 C	8.47								50.99		40.54				
2127 C	94.86	0.35			1.94						2.85				
2128 C	88.6								4.83		6.57				
2129 C	78.8								5.84		8.51	6.85			
2130 C	67.56								13.46		11.28	7.7			
2131 C	52.73				20.26				3.36		23.65				
2132 C	50.85						7.38				19.3	22.47			
2133 C	20.32								25.6	7.78	46.3				
2134 C	76.24								10.13		1.64		11.99		
2135 C	58.4								18.31		2.61		20.68		
2136 C	66.4					3.59			9.21				20.8		
2137 C	51.66					7.72			11				29.62		
2138 C	35.08	5.17							27.64				32.11		
2139 C	27.64							12.04	14.8				45.52		
2140 C	6.32							29.89				7.53	56.26		
2141 C	91.59										4.86	3.55			
2142 C	80.96		0.47						6.33		12.24				
2143 C	59.77		3.19						10.84		26.2				
2144 C	19.03		5.65						18.72		56.6				
2145 C						11.95					76.24	11.81			
2146 C						22.46					53.21	24.33			
2147 C											18.91	69.42		11.67	
2148 C	67.76	4.7							11.54		16				
2149 C	58.2	6.06							14.97		20.77				
2150 C	44.82	8.09							19.6		27.49				
2151 C	36.18	6.86							23.43		33.53				
2152 C	25.54	11.05							25.93		37.48				
2153 C	5	14.12							32.49		48.39				
2154 C										20.56	60.95	18.49			
2155 C	83.99					1.27			3.77				10.97		
2156 C	77.19					0.94			7.14				14.73		

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2157 C	66.32					2.6			8.73				22.35		
2158 C	52.13					4.69			10.91				32.27		
2159 C	40.78					5.66			14.72				38.84		
2160 C	28.64					8.33			14.94				48.09		
2161 C	2.42					14.61			16.54				66.43		
2162 C	84.43		8.45								4.19	2.93			
2163 C	73.15		2					6.31					18.54		
2164 C	67.48		2.03					7.79					22.7		
2165 C	51.3		4.04					11.31					33.35		
2166 C	37.2		5.22					14.9					42.68		
2167C	28.86		5.24					17.27					48.63		
2168 C	19.61							9.05			41.73			29.61	
2169 C	84.79		2.07					3.55			9.59				
2170 C	72.35		4.57					5.23			17.85				
2171 C	80.62										12.17	7.21			
2172 C	46.87							16.81			36.32				
2173 C	50.44							11.99			37.57				
2174 C	52.54										30.79	16.67			
2175 C	21.45										60.93	17.62			
2176 C	93.5										2.49	0.56		3.45	
2177 C	86.72										5.9	1.6		5.78	
2178 C	79.83										8.91	2.34		8.92	
2179 C	70.9										12.81	3.17		13.12	
2180 C	61.23										17.55	3.98		17.24	
2181 C	40.55										31.17	4.85		23.43	
2182 C	18.37										48.31	5.36		27.96	
2183 C	56.52	3.21						6.14			34.13				
2184 C	59.79										29.91	10.3			
2185 C	16.74		11.48								70.23	1.55			
2186 C												41.72	54.37	3.91	
2187 C											61.75	24.63		13.62	
2188 C											57.95	23		19.05	
2189 C											45.82	22	32.18		
2190 C	85.86										11.35	2.79			
2191 C	76.57										18.82	4.61			
2192 C	55.1										39.6	5.3			
2193 C	54.37						3.34				40.04	2.25			
2194 C	23.62						4.66				71.72				
2195 C	10.79								11.66		77.55				
2196 C											85.08	11.8		3.12	
2197 C	89.45										8.07		2.48		
2198 C	84.46										12.44		3.1		
2199 C	72.42										20.71		6.87		
2200 C	72.21		1.47								21.09		5.23		
2201 C	55.98										33.33		10.69		
2202 C	53.89										43.78		2.33		
2203 C	38.47										52.13		4.9	4.5	
2204 C	91.61								2.33		1.06		5		

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2205 C	82.96							3.39			1.91		11.74		
2206 C	73.19							6			1.74		19.07		
2207 C	66.61							6.7			2.29		24.4		
2208 C	55.6							9.7			2.37		32.33		
2209 C	48.33							10.44			2.86		38.37		
2210 C		17.35						24.5			58.15				
2211 C	78.1	5.5						4.6			11.8				
2212 C	65.92	8.91						7.11			18.06				
2213 C	43.1	15.15						11.67			30.08				
2214 C	45.88	14						11.32			28.8				
2215 C	31.35	18.38						17.75			32.52				
2216 C	17.89	23.25						22.46			36.4				
2217 C		27.38						25.94			46.68				
2218 C	77.39							2.9				1.16	18.55		
2219 C	66							4.6				1.25	28.15		
2220 C	56.83							6.2				1.61	35.36		
2221 C	41.15							8.26				2	48.59		
2222 C	28.35							10.35				2.35	58.95		
2223 C	12.73							13.28				2.69	71.3		
2224 C								16.46				3.79	79.75		
2225 C	88.72										6.26		5.02		
2226 C	81.23										10.45		8.32		
2227 C	75.44								3.11		4.96		16.49		
2228 C	29.1										38.55		32.35		
2229 C	12.66										49.26		38.08		
2230 C	32.79										32.52		29.76	4.93	
2231 C											49.67		43.83	6.5	
2232 C	84.33										7.32		4.67	3.68	
2233 C	77.38										10.36		8.03	4.23	
2234 C	74.44										11.25		8.82	5.49	
2235 C	66.69										15.2		11.68	6.43	
2236 C	65.15										15.2		12.32	7.33	
2237 C	58.72										18.79		13.96	8.53	
2238 C	14.08										38.84		32.83	14.25	
2239 C	57.64										0.87		41.49		
2240 C	28.69										1.67		69.64		
2241 C	64.09												29.23	6.68	
2242 C	32.71	14.41									26.2		26.68		
2243 C	50.72	15.17									31.03			3.08	
2244 C	31.07												55.95	12.98	
2245 C		10.19										5.56	84.25		
2246 C	90.14	4.36									4.95			0.55	
2247 C	78.17	10									10.68			1.15	
2248 C	64.85	6.57											24.18	4.4	
2249 C	57.77	7.78											29.02	5.43	
2250 C	39.74	21.2									18.82		20.24		
2251 C	29.08	22									22.6		26.32		
2252 C		29.33									14.37		56.3		

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2253 C	90.11	2.93											6.96		
2254 C	86.87	6.05									2.65		4.43		
2255 C	75.67	11.51									5.35		7.47		
2256 C	54.22	22.42									10.66		12.7		
2257 C	16.27	38.33									18.4		27		
2258 C		60.19									35.48			4.33	
2259 C		55.46									35.33			9.21	
2260 C	81.8	3	4.98										10.22		
2261 C	69.79	4.05	8.55										17.61		
2262 C	57.69	3.34	13.71										25.26		
2263 C	33.97	6.08	21.41										38.54		
2264 C	20.11	12.97	21.55										45.37		
2265 C		10.13	32.69										57.18		
2266 C		32.3											37.43	30.27	
2267 C	76.51	9.88											13.61		
2268 C	60.31	16.61											23.08		
2269 C	59	24.5									6.48		10.02		
2270 C	18.14	34.2											47.66		
2271 C		40.96											59.04		
2272 C		68.15											31.85		
2273 C		55.15											33.59	11.26	
2274 C	91.93	5.9										1.56	0.61		
2275 C	82.1	11.59											5.12	1.19	
2276 C	50.29	28.42											13.99	7.3	
2277 C		68.11										7.86	24.03		
2278 C		68.91										14.35	16.74		
2279 C		56.25											28.18	15.57	
2280 C		47.99											31.14	20.87	
2281 C	88.6	8.7										0.3	2.4		
2282 C	83.04	11.19										0.17	5.6		
2283 C	66.02	22.36										0.09	11.53		
2284 C	73.66	16.41											8.3	1.63	
2285 C	48.53	34.27										0.14	17.06		
2286 C		72.52										0.48	27		
2287 C		64.67										0.59	34.74		
2288 C	81.38	14.19										0.38	4.05		
2289 C	81.69	13.28											3.89	1.14	
2290 C	39.29	48.76										0.13	11.82		
2291 C	7.11	79.91										0.19	12.79		
2292 C	29.98	54.37										1.36	14.29		
2293 C	0.83	78.4										1.58	19.19		
2294 C	5.47	65.73											23.84	4.96	
2295 C	88.14	10.04											1.82		
2296 C	74.25	22.18											3.57		
2297 C	42.03	50											7.97		
2298 C	68.05	24.8										0.6	6.55		
2299 C	45.56	42.23										1.08	11.13		
2300 C	49.78	42.16										3.04	5.02		

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2301 C	15.79	70.98										5.23	8		
2302 C	67.4	23.37											4.98	4.25	
2303 C	60.19	26.3											8.76	4.75	
2304 C	51.89	34.48											7.16	6.47	
2305 C	9.76	74.8											9.36	6.08	
2306 C	11.96	62.04											14	12	
2307 C	12.94	50.2											15.2	21.66	
2308 C	8.02	50.75											8.1	33.13	
2309 C	92.42	2.12	4.21											1.25	
2310 C	89.75	2.47	5.03											2.75	
2311 C	80.6	4.65	10.22											4.53	
2312 C	79.34	3.95	9.11											7.6	
2313 C	68.27	9.54	16.32											5.87	
2314 C	46.9	17.08	26.27											9.75	
2315 C		54.14								33.44				12.42	
2316 C	79.7	4.22	10											6.08	
2317 C	66.11	9.35	16.97											7.57	
2318 C	52.41	12.96	23.83											10.8	
2319 C	25.08	22.21	35.73											16.98	
2320 C		34.93	39.95											25.12	
2321 C	35.43	13.52	26.34											24.71	
2322 C	18.05	24.21	22.18											35.56	
2323 C	89.08	4.94				0.24								5.74	
2324 C	73.49	5.81	14.78								5.92				
2325 C	59.01	8.2	23.21								9.58				
2326 C	43.3	10.78	32.07								13.85				
2327 C	36.78	15.83	31.75								15.64				
2328 C	15.61	16.86	46.97								20.56				
2329 C		18.77	55.77								25.46				
200 C				94.59		3.44						1.97			
201 C				76.8		15.77								7.43	
202 C				76.03		11.47								12.5	
203 C	94.83			1.99		3.18									
204 C	86.36			4.04		9.6									
205 C	54.56			16.39				29.05							
206 C	0.27			67.77		19.26			12.7						
207 C				77.95					19.71			2.34			
208 C				60.17					29.91					9.92	
209 C				86.7								13.3			
210 C	84.61		1.7				13.69								
211 C	72.99		3.79				23.22								
212 C	43.55		10.35				46.1								
213 C			20.93				79.07								
214 C			31.15				68.18					0.67			
215 C			42.59				54.16					3.25			
216 C			59.75				31.17					9.08			
217 C	92.6			1.6					5.8						
218 C	76.48					8.28	9.91		5.33						

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
219 C				19.17			69.48		11.35						
220 C				50.77					47.03					2.2	
221 C				49.1					45.49					5.41	
222 C				41.15					44.71					14.14	
223 C	84.26						12.9		2.84						
224 C	73.62						24.34	2.04							
225 C	11.16						70.1	18.74							
226 C							63.83	36.17							
227 C				35.37					64.63						
228 C				33.05					61.57					5.38	
229 C	10.35			34.31					38.33					17.01	
230 C	90.28						9.72								
231 C	74.77						25.23								
232 C	45						55								
233 C						17.05	82.31					0.64			
234 C						46.43			51.59					1.98	
235 C				33.89					58.83					7.28	
236 C	87.58						9.8		2.62						
237 C	78.92						15.01		6.07						
238 C	62.43						28.15		9.42						
239 C	49.97						37.84		12.19						
240 C	37.01		4.97				25.92		32.1						
241 C	14.99		9.37				72.02					3.62			
242 C	1.98			33.69			52.93				11.4				
2330 c	97.23	0.11												2.66	
2331 C	79.36		13.84								6.8				
2332 C	84.66											0.66		14.68	
2333 C	75.46											0.94		23.6	
2334 C	70.39											1.42		28.19	
2335 C	52.77		11.76									1.32		34.15	
2336 C	56.78											2.07		41.15	
2337 C	91.87		6.33				1.8								
2338 C	84.78	1.35		11.77									2.1		
2339 C	82.92	1.39		15.69											
2340 C	61.68		25.29					8.88					4.15		
2341 C	57.44	1.35		32.2									9.01		
2342 C	45.91			39.28			6.07						8.74		
2343 C	36.99			37.8			12.67						12.54		
2344 C	60.86		31.55				6.52						1.07		
2345 C	43.44		41.57				14.99								
2346 C	27.2		42.83				29.97								
2347 C										100					
2348 C	36.53		52.17					10.17					1.13		
2349 C		38.91								59.67		1.42			
2350 C		57.38				39.42								3.2	
2351 C	84.22				4.81			9.57						1.4	
2352 C	74.02				4			18.1					3.88		
2353 C	61.53					13.96			22.95		1.56				

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2354 C	48.65						4.19	30.48					16.68		
2355 C						9.03			83.93					7.04	
2356 C						18.1			70.85					11.05	
2357 C								55.66	26.08					18.26	
2358 C	84.97	0.34		9.29							5.4				
2359 C	59.88	1.5		24.26							14.36				
2360 C	77.95					5.87					6.92			9.26	
2361 C	73.4				10.05						5.4			11.15	
2362 C	36.45	15.9							31.25		16.4				
2363 C	21.07	20.03							38.77		20.13				
2364 C	38.87	2.1		37.08							21.95				
2365 C	92.23						4.9		2.87						
2366 C	57.69								26.02		16.29				
2367 C	52.53				28.1	3.09					16.28				
2368 C	40.87								34.65		13.32	11.16			
2369 C	18.05								48.15		33.8				
2370 C	17.74	2.68			53.4						26.18				
2371 C	7.81				80.14						12.05				
2372 C					64.86						26.86			8.28	
2373 C	58.83		2					11.7					27.47		
2374 C	26.62		3.1					22.1					48.18		
2375 C	74.42						12.05		13.53						
2376 C	32.96		35.69								20.79	10.56			
2377 C			4.41			25.4							70.19		
2378 C			6.28			29.43							64.29		
2379 C	21.97					19.91							43.34	14.78	
2380 C	34.5		15.03									24.38		26.09	
2381 C	80.09								4.6		8.91	6.4			
2382 C	72.84								0.56		16.12	10.48			
2383 C	45.3		8.92						11.79		33.99				
2384 C	14.96		11.44						13.23		60.37				
2385 C	49.18						28.74		22.08						
2386 C	44.04		1.39						22.82		31.75				
2387 C	31.9		0.16						26.38		41.56				
2388 C			1.99						29.1		68.91				
2389 C	77.19		4.03								15.06	3.72			
2390 C	53.27		10.71								29.57	6.45			
2391 C	45.45		13.35								40	1.2			
2392 C	23.45		26.22								48.21	2.12			
2393 C	46.95		2.44								49.27	1.34			
2394 C	20.81		1.3								77.89				
2395 C	28.98						43.7		27.32						
2396 C	52.84	3.42									41.62			2.12	
2397 C	64.87	1.95									20.47		12.71		
2398 C	65.22	3.8									17.27		13.71		
2399 C	3.1										19.27		77.63		
2400 C	50.41	8.1									21.12		20.37		
2401 C	57.32										4.13		33.53	5.02	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2402 C	2.21										13.19		81.51	3.09	
2403 C											25.6		72.97	1.43	
2004 C	87.13	3.35											5.32	4.2	
2405 C	11.17						60.81		25.12					2.9	
2406 C	76.88	2.97											11.87	8.28	
2407 C	65.18	4.76											18.33	11.73	
2408 C	38.19	11.65											34.48	15.68	
2409 C	42.08	11.08											22.66	24.18	
2410 C	31.26	13.28											26.82	28.64	
2411 C		18.31											46.55	35.14	
2412 C	63.05	7.07											29.88		
2413 C	53.88	4.52											38.85	2.75	
2414 C	38.63	9.5											50.5	1.37	
2415 C							72.66		21.85					5.49	
2416 C	39.64	17.72									18.37		24.27		
2417 C	31.92	10.09											51.5	6.49	
2418 C		43.38									56.62				
2419 C	20.63	27.87									45.03			6.47	
2420 C	23.16	23.48											53.36		
2421 C		57.78											42.07	0.15	
2422 C		53.77									17.63		28.6		
2423 C		39.02											60.98		
2424 C		78.35									21.65				
2425 C						28.8			65.55					5.65	
2426 C		59.92									40.08				
2427 C		26.85											54.35	18.8	
2428 C	20.21	38.82	38.51								2.46				
2429 C		23.2	72.27								4.53				
2430 C	72.12	5.14	20.3								2.44				
2431 C	54.77	14.95	28.2								2.08				
2432 C	53.81	10.07	34.07								2.05				
2433 C	47.16	4.29	46.2								2.35				
2434 C	48.58		46.14				3.8				1.48				
2435 C	43.68		49.9				1.52				4.9				
2436 C	9.21		73.55				11.8				5.44				
2437 C	86.09	2.24	11.21								0.46				
2438 C	75.15	1.55	21.72								1.58				
2439 C	59.5		35.26								5.24				
2440 C	74.72	11.59						9.47			4.22				
2441 C	50.54	6.63								34.72	8.11				
2442 C	42.91	2.21								45.28	9.6				
2443 C		32.51		54.24										13.25	
2444 C	79.88	7.43					11.21				1.48				
2445 C	66.81	9.78					21.63				1.78				
2446 C	64.98	10.24					21.97				2.81				
2447 C	46.35	16.07					30.91				6.67				
2448 C	29.26		55.02				13.66				2.06				
2449 C										61.1				38.9	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2450 C	38.7			13.47			46.26				1.57				
2451 C	49.61		14.9					32.03			3.46				
2453 C	85.6						6.34	3.86			4.2				
2454 C	49.5		12					2.88			35.62				
2455 C	87.26	2.16								3	7.58				
2456 C	56.37	10.58	5.61								27.44				
2457 C	76.77	4.38	8.83								10.02				
2458 C	58.55	10.29	12.13								19.03				
2459 C	69.11	9.37	4.04								17.48				
2460 C	75.84	3.53	5.52								15.11				
2461 C	52.65	7.74	8.97								30.64				
2462 C	52.97	7.22	15.87								23.94				
2463 C	37.22	6.35	28.88								27.55				
2464 C	65.05	22.04	1.71								11.2				
2465 C	3.61	52.51									31.98			11.9	
2466 C	35.04	6.95									27.12			30.89	
2467 C	60.97	19.51					14.55				4.97				
2468 C	36.64	23.1		30.79							9.47				
2469 C	35.32	6.27	42.89											15.52	
2470 C	52.52	13.96								23.16	10.36				
2471 C	67.63	5.2								19.45	7.72				
2472 C	7.63	46.3				15.85								30.22	
2473 C	93.54									4		2.46			
2474 C	82.15	3.83	9.44									4.58			
2475 C	71.56	9.24		12.83								6.37			
2476 C	51.89	7.9	27.85									12.36			
2477 C	29.61	14.31	38.46									17.62			
2478 C			61.63									20.52		17.85	
2479 C	25.76		19.75											54.49	
243 C	91.87						1.65		6.48						
244 C	86.65						3.65		9.7						
245 C	76.15						5.82		18.03						
246 C	40.79						23.61		35.6						
247 C	37.8		1.23				12.59		48.38						
248 C	22.75						30.22		43.43					3.6	
249 C	11.52		27.48						53.5		7.5				
250 C	92.47						2.14		5.39						
251 C	84.77						0.58		14.65						
252 C	62.03								37.97						
253 C	33.32				2.36				64.32						
254 C	15.88	3.63							77.34		3.15				
255 C	6.17								78.8					15.03	
256 C	94.16								5.06			0.78			
257 C	90.06					2.43			5.96			1.55			
258 C	31.16	7.72							54.42			6.7			
259 C	4.47								80.94			1.41		13.18	
260 C	12.22								69.07					18.71	
261 C	7.5	2.73							68					21.77	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
262 C	8.6	6							59					26.4	
2562 C	90.23								8.98			0.79			
2572 C	81.83								16.9			1.27			
2582 C	57.06								40.4			2.54			
2592 C	34.59								62.08			3.33			
2602 C	22.38				7.97				66.96				2.69		
2612 C	23.26	6.52			20.72				49.5						
2622 C	31.68				3.2				49.43					15.69	
2563 C	91.08								7.9			1.02			
2573 C	83.77								14.51			1.72			
2583 C	70.28					5.18			20.54			4			
2593 C	49.93				19.47	8.3			22.3						
2603 C	15.87				12.96				64.46					6.71	
2613 C	10.73				11.57				67.17					10.53	
2623 C					9.03				74.82					16.15	
2567 C	91.68				5.87				2.45						
2577 C	81.09				6.59				10.83			1.49			
2587 C	59.38				21.62				18.34					0.66	
2597 C					38.93				58.76					2.31	
2607 C					41.1				52.18					6.72	
2617 C					38.8				48.6					12.6	
2627 C					34.32				44.84					20.84	
263 C	94.89								4.58			0.53			
264 C	88.91								9.09			2			
265 C	64.15								29.02			6.83			
266 C	39.98								49.69			10.33			
267 C	13.32	1.38							71.13			14.17			
268 C	24.46								58.26			9.89		7.39	
269 C	21.46								56.69			8.42		13.43	
2635 C	95.35				4							0.65			
2645 C	91.15				7.85							1			
2655 C	83.08				15.34							1.58			
2665 C	69.61				28.28							2.11			
2685 C					98.68									1.32	
2695 C					79.46									20.54	
270 C	93.63								3.62			2.75			
271 C	88.32								6.54			5.14			
272 C	80.06					4.65			4.78			10.51			
273 C					86.17									13.83	
274 C					79.71									20.29	
275 C					76.65									23.35	
276 C					63.2									36.8	
2705 C	90.48				6.94						2.58				
2715 C	82.73				12.93						4.34				
2725 C	66.45				25.59						7.96				
2735 C												100			
2745 C							49.38					40.92		9.7	
2755 C							42.11					46.97		10.92	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
2765 C												70.87		29.13	
2706 C	95.33								2.58		2.09				
2716 C	92.07								3.05			4.88			
2726 C	63.51								15.04			21.45			
2736 C	10.3								39.43			50.27			
2746 C												97		3	
2756 C									37.44			48.26		14.3	
2766 C									26			48.69		25.31	
2707 C	95.43								2.05		2.52				
2717 C	91.68								3.62		4.7				
2727 C	78.86										2.72	18.42			
2747 C												90.63		9.37	
2757 C												83.39		16.61	
2767 C	11.62			14.92								50.85		22.61	
2708 C	93.8								2.85		3.35				
2718 C	70.03								13.75		16.22				
2728 C	2.73								41.53		55.74				
2738 C							34.59					62.48		2.93	
2748 C												91.07		8.93	
2758 C							31.73					51.12		17.15	
2768 C									47.73			24.49		27.78	
277 C	95.88										1.46	2.66			
278 C	93.03										2.65	4.32			
279 C	81.25										6.35	12.4			
280 C												82.62		17.38	
281 C												77.75		22.25	
282 C												68.16		31.84	
283 C	92.69										3.61	3.7			
284 C	87.8										5.73	6.47			
285 C	56.1										22.95	20.95			
286 C		2.04									37.06	60.9			
287 C		10.52									4.61	84.87			
288 C											11.67	73.61		14.72	
289 C												67.43		32.57	
290 C	97.02										1.94	1.04			
291 C	94.7										3	2.3			
292 C	88.48										6.61	4.91			
293 C		2.55									47.13	50.32			
294 C	8.58	18.12										73.3			
295 C											16.99	56.49		26.52	
296 C												53.33		46.67	
2905 C	93.16										5.11	1.73			
2915 C	88.12										8.51	3.37			
2925 C	76.9										16.81	6.29			
2935 C											76.03	23.97			
2945 C		5.32									58.85	35.83			
2955 C		20.26									22.25	57.49			
2965 C		17.95										62.07		19.98	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
297 C	90.95										8	1.05			
298 C	84.07										14.05	1.88			
299 C	71.79										23.93	4.28			
300 C											83.13	16.87			
301 C												46.74	52.56	0.7	
302 C												42.09	41.31	16.6	
303 C												42.89	22.65	34.46	
2975 C	93.52										6.48				
2985 C	85.92										13.03	1.05			
2995 C	71.35										26.7	1.95			
3005 C											95.51	4.49			
3015 C											88.6	6.5		4.9	
3025 C		15										45.97		39.03	
3035 C											59.75	11.12		29.13	
304 C	93										5		2		
305 C	88.06										11.94				
306 C	76.73										23.27				
307 C											93.68	2.42		3.9	
308 C											83.9	3.8		12.3	
309 C											61.52	7.27		31.21	
310 C	90.53										9.47				
311 C	81.42										15.34		3.24		
312 C	56.38										33.4		10.22		
313 C	9.41										69.73		20.86		
314 C											73.13		25.57	1.3	
315 C											71.72		17.89	10.39	
316 C											58.79		11.43	29.78	
3105 C	86.33										8.86		4.81		
3115 C	72.59										17.13		10.28		
3125 C	49.46										31.5		19.04		
3135 C											63.2		36.8		
3145 C											60.95		33.67	5.38	
3155 C											59.9		25.68	14.42	
3165 C											58.11		17.54	24.35	
317 C	93.56										2.23		4.21		
318 C	89.84										5.42		4.74		
319 C	76.77										10.17		13.06		
320 C											46.58		53.42		
321 C											45.74		51.93	2.33	
322 C											42.94		47.54	9.52	
323 C											40.4		42.2	17.4	
324 C	91.91										3.2		4.78	0.11	
325 C	86.36										5.64		7.8	0.2	
326 C	62.17										10.76		25.82	1.25	
327 C	8.04	19.11									72.85				
328 C		19.29									77.7			3.01	
329 C	1.03	17.73									73.02			8.22	
330 C	26.29	10.57									41.3			21.84	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
3242 C	85.79										3.18		11.03		
3252 C	76.06										5.53		18.41		
3262 C	51.54										10.73		37.73		
3272 C											24.66		75.34		
3282 C											23.94		70.98	5.08	
3292 C											23.56		56.47	19.97	
3302 C											20.65		48.35	31	
3245 C	85.08										1.81		13.11		
3255 C	71.18										2.93		25.89		
3265 C	45.71										5.75		48.54		
3275 C	5.56										12.44		82		
3285 C	2.45										12.84		79.93	4.78	
3295 C											13.74		74.98	11.28	
3305 C											16.25		52.15	31.6	
3248 C	84.81	2.9									7.87		4.42		
3258 C	79.26	4.48									10.69		5.57		
3268 C	34.77										2.29		59.83	3.11	
3278 C	7.33										4.19		84.63	3.85	
3288 C	24.67	22.03									50.43			2.87	
3298 C	19.62	22.04									48.5			9.84	
3308 C	13.32										6.37		47.09	33.22	
331 C	91.39												8.61		
332 C	86.97												13.03		
333 C	74.84										0.85		24.31		
334 C		12.52									30.17		57.31		
335 C	20.67	23.57									52.08			3.68	
336 C											4.94		77.94	17.12	
337 C	87.25	3.87									5.88		3		
338 C	86.11	3.24									6.11		4.54		
339 C	60.96	11.73									19.44		7.87		
340 C	26.92	28.51									44.57				
341 C	21.92	28									44.7			5.38	
342 C	22.77	25.16									39.72			12.35	
343 C	22.69	22.15									33.75			21.41	
3375 C	83.95	1.25											14.8		
3385 C	68.96	2.26											28.78		
3395 C	28.92	5.76											65.32		
3405 C		11.22									3.22		85.56		
3415 C		38.23									56.3			5.47	
3425 C	2.72	33.21									50.55			13.52	
3435 C		26.34									45.27			28.39	
3500 C		37.8									54.2			8	
3501 C		79.19									17.78		3.03		
3506 C	55.39		5.47									28.4	10.74		
3507 C	8.04	79.8					1.12						11.04		
3508 C	13.94	44.62											25.44	16	
3514 C	21.38	65.7	11.58										1.34		
3515 C					47.13		44.62							8.25	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
3516 C		26.38								72.29				1.33	
3517 C				97.62										2.38	
3519 C	88.68	4.45						6.11					0.76		
3520 C	79.96				11.36			3.24	5.44						
3522 C		49.59									49.84			0.57	
3523 C							27.61			49.53				22.86	
3524 C	24				37.05						9.65			29.3	
3526 C	71.15	0.93								12.92	15				
3527 C	50.98					21.78	26					1.24			
3529 C		68.68									19		12.32		
3533 C	76	0.92									2.98		20.1		
3534 C	16	0.73									15.77		67.5		
3535 C					79.55					14.75		5.7			
3536 C		38.55									61.45				
3537 C		28.48									44.17			27.35	
3538 C	47		0.52								48.27	4.21			
3539 C		50.96											42.96	6.08	
3541 C											47.64		51.16	1.2	
3542 C							54.7					30.7		14.6	
3543 C	85.45				12.51							2.04			
3544 C	86.21	6.16					6.75				0.88				
3545 C	74										26				
3547 C	23.73	44.24	27.72								4.31				
3551 C	30.89										46.69		22.42		
3553 C											91.6	5.85		2.55	
3555 C	5.24						42.51			23.88		28.37			
3556 C		0.97						3.57		95.46					
3557 C	0.58										39.09		51.59	8.74	
3558 C	91.02				4.08							4.9			
3559 C	61.86					13.08	14.35					10.71			
3560 C	21.94	7.34									38.2		32.52		
3561 C		76.72											22.31	0.97	
3564 C		44.27	55.42											0.31	
3566 C	1.56			30.99	44.97						22.48				
3568 C	94.63						5.37								
3570 C	14.38	73.9	1.77										9.95		
3572 C	77.27		15.04				7.69								
3574 C	34.46			26.84	19.5						19.2				
3575 C	79.2				20						0.8				
3577 C	89.48		1.17								5.44	3.91			
3581 C	17.85	14.38				21.18						46.59			
3582 C	75.82		5.76		5.14			13.28							
3583 C				20.15			46.49					33.36			
3584 C	3.42			8.75				33.28			54.55				
3588 C	29.17	35.46	35.37												
3590 C	39.24			11.48	19.59						29.69				
3591 C		10.06			50.17						39.77				
3593 C	73.3				17.07			6.21					3.42		

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
3595 C	94.61		0.5			2.18	2.71								
3596 C	79.72	7.89	10.88								1.51				
3597 C	7.54		30.69									45.63	16.14		
3599 C	77.54	15.73					5.11				1.62				
344 C	87.66	5.34									4.48		2.52		
345 C	84.59	6.09									5.24		4.08		
346 C	77.53	8.93									7.64		5.9		
347 C	17.28	43.99									38.73				
348 C	12.37	44.65									39.61			3.37	
349 C	17.53	34.98									34.03			13.46	
350 C	25.54	26.88									21.62			25.96	
351 C	86.31	3.59											10.1		
352 C	83.42	3.73											12.85		
353 C	81.74	4											14.26		
354 C		26.2									1.28		72.52		
355 C		48.17									31.9		19.93		
356 C	6.14	48.37									39.8			5.69	
357 C	3.55	17.11											54.59	24.75	
358 C	85.13	9.27									1.99		3.61		
359 C	83.16	10.3									2.28		4.26		
360 C	53.11	31.24									7.22		8.43		
361 C	22.99	52.06									11.25		13.7		
362 C	19.52	48.37										4.88	27.23		
363 C	21.9	49.83										8.17	20.1		
364 C	10.11	41.89											34.34	13.66	
365 C	81.81	13.01										0.74	4.44		
366 C	77.82	14.81										0.8	6.57		
367 C	65.16	23.85										1.04	9.95		
368 C	25	51.51										1.85	21.64		
369 C		70.7										4.64	24.66		
370 C		75.6										10.97	13.43		
371 C	2.75	49.77											22.3	25.18	
372 C	82.65	13.79										0.16	3.4		
373 C	77.44	17.54											5.02		
374 C	71.47	22.19											6.34		
375 C	36.38	49											14.62		
376 C	14.43	63.57											19.69	2.31	
377 C	8.71	65.49											18.37	7.43	
378 C	9.54	50.95											16.03	23.48	
379 C	75.82	22.68											1.5		
380 C	65.49	31.93											2.58		
381 C	47.63	48.08											4.29		
382 C	37.81	57.12											5.07		
383 C	35.65	55.52											5.47	3.36	
384 C	35.91	51.83											5.01	7.25	
385 C	34.62	47.62											3.46	14.3	
386 C	77.3	21.66											1.04		
387 C	64.44	33.58											1.98		

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
388 C	50.81	46.56											2.63		
389 C	22.42	73.3											4.28		
390 C	19.15	73.14											5.59	2.12	
391 C	31.18	57.2											3.93	7.69	
392 C	32.4	51.53											3.21	12.86	
393 C	74.88	24.53											0.59		
394 C	61.21	37.64											1.15		
395 C	52.8	45.7											1.5		
396 C	34.57	62.93											2.5		
397 C	18.3	74.38											3.06	4.26	
398 C	19.05	71.59											2.2	7.16	
399 C	20.26	67.36											1.41	10.97	
3935 C	71.85	28.15													
3945 C	52.19	47.81													
3955 C	16.24	82.63											1.13		
3965 C	1.23	98.77													
3975 C	3.51	96.49													
3985 C	33.78	53.55	1.17											11.5	
3995 C	31.18	44.39												24.43	
400 C	95.56		0.48											3.96	
401 C	90.82	0.81		0.57										7.8	
402 C	90.12			0.57										9.31	
403 C	83.93	0.72		0.89										14.46	
404 C	78.38	0.77		0.85										20	
405 C	72.31	1.38		1.52										24.79	
406 C	95.91						0.49							3.6	
407 C	91.1	1						0.92						6.98	
408 C	85.66	1.25						1.49						11.6	
409 C	80	1.85						2						16.15	
410 C	73.3	1.75						2.63						22.32	
411 C	63.17	3.04						3.74						30.05	
412 C	37.17	9.65						7.81						45.37	
413 C	92.86	0.9											0.88	5.36	
414 C	89.71	0.73											1.39	8.17	
415 C	83.5	1.42											2.27	12.81	
416 C	75	2.22											3.43	19.35	
417 C	65.83	2.48											5	26.69	
418 C	55.9	1.85											8.05	34.2	
419 C	18.79	9.67												71.54	
420 C	96.81						0.16					0.58		2.45	
421 C	94.2											0.58		5.22	
422 C	90.89											1.17		7.94	
423 C	86.29	0.54										2		11.17	
424 C	77.57	1.17										3.49		17.77	
425 C	67.78	1.75										4.93		25.54	
426 C	40.91											1.61		57.48	
427 C	97.33		1.43								0.42	0.82			
428 C	94.78									2.79	2.11	0.32			

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
429 C	93.98											1.76	4.26		
430 C	84.66	1.46										4.06	9.82		
431 C	73.46	2.65										7.79	16.1		
432 C	51.37	4.28										13.04	31.31		
433 C	19.73											17.37	62.9		
434 C	92.32		1.62				2.44						3.62		
435 C	86.68		3.07				4.03						6.22		
436 C	70.35		8.85				7.75						13.05		
437 C	18.7		27.55				17.6						36.15		
438 C			66.57								30.3		3.13		
439 C	43.64		11.11										2.61	42.64	
440 C	2.64		30.58										17.8	48.98	
441 C	88.65		2.46				1.65						7.24		
442 C	72.6		7.4				3.86						16.14		
443 C	62.99		8.95				6.43						21.63		
444 C	34.28		15.65				11.72						38.35		
445 C			54.14								30.29		15.57		
446 C	41.24												16.91	41.85	
447 C	36.08												13.85	50.07	
WARM GRAY 1 C	97.52									0.66		0.32		1.5	
WARM GRAY 2 C	95.64		0.74											3.62	
WARM GRAY 3 C	93	0.62	0.87											5.51	
WARM GRAY 4 C	91.02	0.58	1.14											7.26	
WARM GRAY 5 C	88.58	0.81	1.35											9.26	
WARM GRAY 6 C	88.12	0.43		1.41										10.04	
WARM GRAY 7 C	85.48	0.42		1.75										12.35	
WARM GRAY 8 C	81.63	0.74		2.22										15.41	
WARM GRAY 9 C	78.5	0.65		2.74										18.11	
WARM GRAY 10 C	75.58	0.8		3										20.62	
WARM GRAY 11 C	67.85	1.46		4.02										26.67	
COOL GRAY 1 C	98.03	0.33	0.82									0.82			
COOL GRAY 2 C	97.68			0.2								0.5		1.62	
COOL GRAY 3 C	96.92											0.61		2.47	
COOL GRAY 4 C	95.41											0.89		3.7	
COOL GRAY 5 C	93.89											1.21		4.9	
COOL GRAY 6 C	92.24											1.57		6.19	
COOL GRAY 7 C	89.2											2.05		8.75	
COOL GRAY 8 C	85.35											2.8		11.85	
COOL GRAY 9 C	78.25											3.85		17.9	
COOL GRAY 10 C	72.61											4.54		22.85	
COOL GRAY 11 C	63.4											6.32		30.28	
448 C	20.23	35.39				1.86								42.52	
449 C	9.48	49.1				2.63								38.79	
450 C	14.92	46.94				2.67								35.47	
451 C	54.55	29.46				7.64					8.35				
452 C	69.44	20.2				4.88					5.48				
453 C	82.1	11.66				2.87					3.37				
454 C	85.78	9.57				2.14					2.51				

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
4485 C	29.03	39.98				2.38								28.61	
4495 C	40.09	43.9				2.35								13.66	
4505 C	54.07	31.77				2.18								11.98	
4515 C	75.96	16.35				1.06								6.63	
4525 C	84.25	10.94				0.73								4.08	
4535 C	89.31	7.62				0.49								2.58	
4545 C	89.82	7.41				0.5								2.27	
455 C	5.48	61.27								16.45		16.8			
456 C	26.5	60.96								6.84		5.7			
457 C	18.99	72.28								5.2		3.53			
458 C	69.87	27								2		1.13			
459 C	75.75	21.83								1.63		0.79			
460 C	81.86	16.51								1.21		0.42			
461 C	87.44	11.52								0.82		0.22			
462 C	8.66	48.77				6.34								36.23	
463 C	3.93	59.2				10.88								25.99	
464 C	9.9	62.37				10.82					16.91				
465 C	53.63	34.23				7.65					4.49				
466 C	65.52	25.8				5.53					3.15				
467 C	74.77	19.47				3.72					2.04				
468 C	87.02	9.67				2.17					1.14				
4625 C		35.09	27.52											37.39	
4635 C	40.05	19.27	27.63											13.05	
4645 C	59.19	10.98	20.59											9.24	
4655 C	73.4	6.97	13.3											6.33	
4665 C	79.55	5.25	10.5											4.7	
4675 C	89.24	2.5	5.71											2.55	
4685 C	91.23	2.54	4.33											1.9	
469 C	6.04	34.19	34.41											25.36	
470 C	28	27.34	36.22											8.44	
471 C	19.69	32.69	42.19											5.43	
472 C	72.43	7.71	18.43											1.43	
473 C	90.07	2.21	7.32											0.4	
474 C	92.09	1.82	5.92											0.17	
475 C	93.08	2.12	4.8												
4695 C		46.53				23.38								30.09	
4705 C	26.8		51.76											21.44	
4715 C	57.5		28.85											13.65	
4725 C	73.44		17.3											9.26	
4735 C	85.66		8.99											5.35	
4745 C	91.11		5.52											3.37	
4755 C	93.53	0.7	3.4											2.37	
476 C	7.49	42.94				12.47								37.1	
477 C		29.55				51.59								18.86	
478 C		53.72				23.17								23.11	
479 C	56.81	26.02				12.16					5.01				
480 C	81.28	10.9				5.3					2.52				
481 C	89.06	6.5				3.04					1.4				

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
482 C	86.76		9.25										3.99		
483 C		52.19				25.95								21.86	
484 C		59.37				32.98								7.65	
485 C		30.54				11.88				57.58					
486 C	72.58	17.79				9.63									
487 C	85.13	9.24				5.63									
488 C	89.92	6.26				3.82									
489 C	91.15	5.92				2.93									
490 C	7.59		55.61				4.48							32.32	
491 C	9.8		53.87				18.29							18.04	
492 C	7.65		55.16				23.71							13.48	
493 C	72.5		13.45				12.33				1.72				
494 C	84.76		6.69				7.81				0.74				
495 C	91.68		3.12				4.9				0.3				
496 C	94.77		1.64				3.59								
497 C			54.17				8.89							36.94	
498 C	25.39		49.21											25.4	
499 C			80.59									9.67	9.74		
500 C	65.09		15.72				12.24						6.95		
501 C	84.34		6.09				6.64						2.93		
502 C	91.61		2.93				4.03						1.43		
503 C	95.33		1.25				2.81						0.61		
4975 C		23.9								33.66				42.44	
4985 C	12.7		55.81				16.6				14.89				
4995 C	37.45		39.62				12.32				10.61				
5005 C	60.51		24.93				7.91				6.65				
5015 C	80.63		11.58				4.51				3.28				
5025 C	88.68		6.56				2.9				1.86				
5035 C	93		3.71				2.18				1.11				
504 C										70.56	15.14			14.3	
505 C									10.39	72.18	17.43				
506 C	13.77						21.78			52.09	12.36				
507 C	76.94		9.24				11.91				1.91				
508 C	86.3		5.11				7.78				0.81				
509 C	89.65		3.63				6.23				0.49				
510 C	92.8		2.85				4				0.35				
511 C							73.04				1.46			25.5	
512 C	22.25						63.15				3.98			10.62	
513 C	31.5						20.42		41.22				6.86		
514 C	79.91						10.37		7.94				1.78		
515 C	90.23						1.13		8.64						
516 C	93.9						1.05		5.05						
517 C	95.15						1.27		3.58						
5115 C	5.43			58.06		13.1					23.41				
5125 C	33.94			34.46		14.42					17.18				
5135 C	50.57			27.06		9.29					13.08				
5145 C	72.35			15.74		4.21					7.7				
5155 C	89.66			5.09		2.25					3				

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
5165 C	96.21			0.99		1.64					1.16				
5175 C	97.46			0.36		1.41					0.77				
518 C	26.83							12.86	23.26					37.05	
519 C	22.82								50.25					26.93	
520 C	20.03									57.49			5.23	17.25	
521 C	80.64					12.16					3.9		3.3		
522 C	89.1					6.53					2.25		2.12		
523 C	94.54					3.79					1.67				
524 C	95.85					1.66			1.55		0.94				
5185 C	38.9						26.98							34.12	
5195 C	52.8						21.98					1.26		23.96	
5205 C	66.92						16.06					1.26		15.76	
5215 C	86.02						7.02					0.87		6.09	
5225 C	92.78						3.78					0.54		2.9	
5235 C	95.19						2.5					0.18		2.13	
5245 C	96.84						1.86					0.25		1.05	
525 C	1.4	20.36							64.37			13.87			
526 C	28.27	5.73							57.95			8.05			
527 C	39.17	0.99							53.78			6.06			
528 C	78.15								19.5			2.35			
529 C	88.38								10.38			1.24			
530 C	92.74								6.54			0.72			
531 C	94.81								4.78			0.41			
5255 C							43.78					19.89		36.33	
5265 C	22.07		43.94								6.72	27.27			
5275 C	45.37		31.36								7.04	16.23			
5285 C	78.3		10		4.48						7.22				
5295 C	91.3		3.1		2.83						2.77				
5305 C	96.18					1.64					1.35		0.83		
5315 C	98.41								0.87			0.72			
532 C	95.62		1.25		1.77						1.36				
533 C	91.07		3.28		2.79						2.86				
534 C	77.82		10.29		4.49						7.4				
535 C	35.9		30.17		12.24						21.69				
536 C	4.62		41.65		21.52						32.21				
537 C	5.26				58.44									36.3	
538 C	96.18					0.97					0.69		2.16		
539 C									25.93			26.73		47.34	
540 C	25.77											42.98		31.25	
541 C	8.81	24.1										67.09			
542 C	91.94										3.61	4.45			
543 C	95.52										1.82	2.66			
544 C	97.19										0.89	1.92			
545 C	97.62										0.84	1.54			
5395 C									38.52			7.77		53.71	
5405 C	73.91	5.68										14.94		5.47	
5415 C	79.92	5.35										11.82		2.91	
5425 C	85.6	3.89										8.39		2.12	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
5435 C	93.72	1.55										4.04		0.69	
5445 C	95.56	1.09										2.8		0.55	
5455 C	96.37	0.99										2.17		0.47	
546 C	29.05											11.54		59.41	
547 C		26.52										42.59		30.89	
548 C	0.75	39.82										51.35		8.08	
549 C	86.84	3.17									3.84	6.15			
550 C	90.99	2.13									2.96	3.92			
551 C	93.92	1.34									2.11	2.63			
552 C	95.9	0.96									1.39	1.75			
5463 C												35.4	20.36	44.24	
5473 C	27.93										38.7		10.79	22.58	
5483 C	68.55										17.19		2.96	11.3	
5493 C	86.05										8.47			5.48	
5503 C	90.41										4.99		0.95	3.65	
5513 C	93.57										3.17		0.96	2.3	
5523 C	95.3										2.12		0.97	1.61	
5467 C	18.93	8.13											20.8	52.14	
5477 C	53.57	6.94									15.22			24.27	
5487 C	68.1										3.3		11.7	16.9	
5497 C	83.22										1.73		5.75	9.3	
5507 C	90.46										1		3.13	5.41	
5517 C	94.7										0.92		1.28	3.1	
5527 C	95.55										0.64		1.28	2.53	
553 C	11.97	18.22											35.41	34.4	
554 C	20.68	49.14										25.53	4.65		
555 C	26.67	13.2											44.74	15.39	
556 C	73.98	3.26											16.7	6.06	
557 C	82.64	2.15											11.03	4.18	
558 C	85.68	3											8.08	3.24	
559 C	90.06	3.5											4.51	1.93	
5535 C													46	54	
5545 C	41.16	0.67											35.8	22.37	
5555 C	62.78	0.7											21.64	14.88	
5565 C	77.88	0.63											12.42	9.07	
5575 C	84.5	0.73											8.77	6	
5585 C	90.77	0.48											5.33	3.42	
5595 C	93.5	0.77											3.65	2.08	
560 C	0.23	1.34											45.18	53.25	
561 C											6.55		64.81	28.64	
562 C	3.96										6.39		71.51	18.14	
563 C	73.83												22.44	3.73	
564 C	83.42												14.32	2.26	
565 C	92	1.75									3.95		2.3		
566 C	93.15	0.1											6.18	0.57	
5605 C	16.06	17.38											21.76	44.8	
5615 C	57.2	6.36											16.77	19.67	
5625 C	69.73	3.98											11.94	14.35	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
5635 C	84.57	1.68											6.06	7.69	
5645 C	89.34	1.17											4.17	5.32	
5655 C	92.13	0.9											3.05	3.92	
5665 C	94.14	0.92											2.19	2.75	
567 C		18.99									44.84			36.17	
568 C	0.21												80.42	19.37	
569 C	3.85										4.62		79.28	12.25	
570 C	80.95										1.7		16.08	1.27	
571 C	90.53										1.22		8.12	0.13	
572 C	93.59										0.98		5.43		
573 C	95.06										0.61		4.33		
574 C	20.32	36.19											17.49	26	
575 C	25.17	59.87										13.86	1.1		
576 C	44.49	41.27										7.56	6.68		
577 C	83.03	11.87										2.73	2.37		
578 C	87.87	8.7										1.88	1.55		
579 C	89.7	7.33										1.73	1.24		
580 C	88.94	8.84										1.52	0.7		
5743 C	12.59	36.09											16.44	34.88	
5753 C	33.95	30.39											10.75	24.91	
5763 C	54.66	19.31											7.26	18.77	
5773 C	67.95	14.92											4.36	12.77	
5783 C	78.02	11.75											2.36	7.87	
5793 C	84.86	7.97											1.86	5.31	
5803 C	90.42	4.76											0.82	4	
5747 C	1.88	46.1											17.44	34.58	
5757 C	43.6	33.41											7.16	15.83	
5767 C	63.29	20.87											4.5	11.34	
5777 C	75.41	13.53											2.94	8.12	
5787 C	85.78	7.65											1.81	4.76	
5797 C	88.14	6.71											1.27	3.88	
5807 C	89.86	6.07											0.87	3.2	
581 C	29.67	44.34											4.17	21.82	
582 C	32.6	53.82											4.53	9.05	
583 C	31.22	64.83											2.76	1.19	
584 C	68.16	29.1											2.11	0.63	
585 C	79.19	19.33											1.19	0.29	
586 C	79.43	19.44											0.83	0.3	
587 C	81.11	18.24											0.42	0.23	
5815 C	24.44	38.31											5.76	31.49	
5825 C	54.02	31.58											0.97	13.43	
5835 C	70.1	20.69											0.36	8.85	
5845 C	77.63	15.44											0.34	6.59	
5855 C	85.9	9.18											0.1	4.82	
5865 C	90.93	5.68												3.39	
5875 C	89.68	7.4												2.92	
600 C	86.35	13.51				0.14									
601 C	83.95	15.86				0.12					0.07				

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
602 C	78.18	21.36				0.22					0.24				
603 C	64.91	34.27				0.37					0.45				
604 C	44.32	54.31				0.59					0.78				
605 C	27.27	70.72				0.83					1.18				
606 C		96.13				0.66								3.21	
607 C	87.71	11.75				0.09								0.45	
608 C	85.87	13.46				0.07								0.6	
609 C	77.47	21.41				0.09								1.03	
610 C	72.44	25.92				0.02								1.62	
611 C	57.78	39.87												2.35	
612 C	28.33	67.76												3.91	
613 C	8.71	84.76				0.23								6.3	
614 C	90.87	7.23				0.13								1.77	
615 C	88.61	9.04				0.14								2.21	
616 C	83.94	12.74				0.17								3.15	
617 C	72.14	22.42				0.19								5.25	
618 C	59.45	32.53				0.33								7.69	
619 C	43.61	45.86				0.26								10.27	
620 C	13.98	70.86				0.34								14.82	
621 C	97.47	0.65									1.22			0.66	
622 C	94.8	1.22									2.37			1.61	
623 C	85.16	0.45											9.55	4.84	
624 C	71.75	1											17.81	9.44	
625 C	50.34	1.44											32.11	16.11	
626 C	14.31	1.04											58.03	26.62	
627 C											16.16		37.55	46.29	
628 C	95.37										2.63		1.53	0.47	
629 C	92.71										5.19		1.51	0.59	
630 C	86.86										8.99		2.81	1.34	
631 C	76.5										17.43		3.6	2.47	
632 C	48.39										39.19		7.82	4.6	
633 C											78.61		14.33	7.06	
634 C											88.95			11.05	
635 C	94.54	0.36									5.1				
636 C	91.36	0.31									8.33				
637 C	83.59	0.37									16.04				
638 C	70.53	0.53									28.94				
639 C	36.12	1.86	2.15								59.87				
640 C		1.81									98.19				
641 C		5.38									83.65	10.97			
642 C	98.62											1.38			
643 C	98.12											1.88			
644 C	94.19	0.88									0.22	4.71			
645 C	87.3	2.82										9.88			
646 C	80.27	4.24										15.49			
647 C	57.7	8.76		2.77								30.77			
648 C		7.15										72.7		20.15	
649 C	97.29								1.41		1.3				

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
650 C	96.35								1.79		1.86				
651 C	95.68											3.76		0.56	
652 C	86.8	2.61				0.89						9.7			
653 C	60.46	9.21				2.85						27.48			
654 C	11.14	21.75										67.11			
655 C		7.77										73.2		19.03	
656 C	97.54								1.26		1.2				
657 C	95.85								1.99		2.16				
658 C	92.47								3.37		4.16				
659 C	91.22	0.11										8.67			
660 C	78.98	1.15										19.87			
661 C	28.1	7.1										64.8			
662 C												87.73		12.27	
663 C	97.72						1.46				0.82				
664 C	97.27								2		0.73				
665 C	94.76		1.57				1.59					2.08			
666 C	81.5		8.25		5.72						4.53				
667 C	60.47		17.62		12.69						9.22				
668 C	35.8		28.45		21.25						14.5				
669 C	22.27				47.55	7.53								22.65	
670 C	96.9								3.1						
671 C	93.66			0.86					5.48						
672 C	92.45							7.25				0.3			
673 C	87.95					11.33						0.72			
674 C	71.25					27.05						1.7			
675 C	0.77	17.22							82.01						
676 C			43.05						53					3.95	
677 C	96.99								2.9			0.11			
678 C	96.6					1.3			1.79		0.31				
679 C	95.55					2.31			1.54		0.6				
680 C	91.22	1.14				6.22						1.42			
681 C	76.42	4.45				15.71						3.42			
682 C	58.52	7.73				27.87						5.88			
683 C				31.95					56.36					11.69	
684 C	96.25						1.51		2.24						
685 C	93.92			1.51			3.86				0.71				
686 C	87.7			4.58			6.11				1.61				
687 C	74.8			11.58			9.86				3.76				
688 C	54.45			20.79			18.22				6.54				
689 C	8.28			40.83			38.66				12.23				
690 C							45.6			27.75				26.65	
691 C	98.4			0.31		0.6	0.69								
692 C	95.3			3.12			1.11					0.47			
693 C	87.49			10.07			0.89				1.55				
694 C	71.62			17.18			4.9						6.3		
695 C	58.49			24.81			7.67						9.03		
696 C	27.18			44.32			13.73						14.77		
697 C				60.44			20.43						19.13		

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
698 C	98.11						1.89								
699 C	96.53						2.7			0.77					
700 C	93.33			3.05			3.62								
701 C	80.24			12.63			6.04						1.09		
702 C	57.27			28.37			11.46						2.9		
703 C	26.65			48.06			19.79						5.5		
704 C				83.39			8.87							7.74	
705 C	97.97						2.03								
706 C	97.37						2.63								
707 C	92.36		2.77				4.87								
708 C	83.68		4.79	3.53			8								
709 C	62.67		4.99	19.03			13.31								
710 C	42.23			41.54			16.23								
711 C				82.39			15.64						1.97		
712 C	30.44	4.73	7.6												57.23
713 C	12.98	7.47	10.42												69.13
714 C	42.23	15.34	20.27										0.81		21.35
715 C	25.52	32.11	40.7										1.67		
716 C		51.11	47.46											1.43	
717 C		64.3								34.33				1.37	
718 C		56.8								39.83				3.37	
719 C	82.53	3.72	11.35										2.4		
720 C	72.47	5.59	18.03										3.91		
721 C	72.54	5.53	18.03										3.9		
722 C	55.03	9.6	28.98										6.39		
723 C	11.74	35.03	44.09											9.14	
724 C		40.11	48.74											11.15	
725 C		37.73	45.22											17.05	
726 C	87.12	4.17	6.74											1.97	
727 C	83.71	4.81	8.62											2.86	
728 C	72.93	8.87	13.76											4.44	
729 C	50.81	16.36	24.38											8.45	
730 C	25.08	26.64	36.04											12.24	
731 C		48.71								31.93				19.36	
732 C		47.51								28.61				23.88	
7401 C	88.87	7.98	3.15												
7402 C	83.19	13.03	3.41									0.37			
7403 C	80.75	15.08	3.73									0.44			
7404 C	65.21	33.63	1.16												
7405 C	38.03	60.28	1.45									0.24			
7406 C		37.46	58.82	3.39								0.33			
7407 C		58.36	27	12.52								2.12			
7408 C	41.42	54.07	3.24	1.27											
7409 C	49.07	48.33				2.6									
7410 C	76.24	7.36	16.4												
7411 C	68.65	26.49				4.56					0.3				
7412 C	34.9	24.72	37.48								2.9				
7413 C	46.54	45.19				7.64					0.63				

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
7414 C	0.74	42.85	51.84								4.57				
7415 C	91.41	4.9				3.32					0.37				
7416 C	54.26	28.11				17.39					0.24				
7417 C	25.99	44.86				28.94					0.21				
7418 C	54.8	18.8				25.24					1.16				
7419 C	21.4		40.58				32.24				5.78				
7420 C				56.43					36.64					6.93	
7421 C				86.58								13.42			
7422 C	95.83						2.68			1.49					
7423 C	60.87			19.04			19.45					0.64			
7424 C	25.61		18.59				50.46		5.34						
7425 C				55.86					41.92				2.22		
7426 C				67.58					28.78					3.64	
7427 C				91.12										8.88	
7428 C				49.03					28.73					22.24	
7429 C	95.75	0.68				3.19					0.38				
7430 C	92.74	1.26				5.32					0.68				
7431 C	78.42	5.29				14.05					2.24				
7432 C	63.51	8.21				24.61					3.67				
7433 C	33.73			16.26				42.85						7.16	
7434 C	25.42			13.8				52.42						8.36	
7435 C				43.43					46.9					9.67	
7436 C	97.03								2.97						
7437 C	94.07							4.43			0.59	0.91			
7438 C	88.03								11.44			0.53			
7439 C	86.82					9.23					3.95				
7440 C	66.55	4.62							24.88		3.95				
7441 C	66.01					0.75			30.09			3.15			
7442 C	47.48				14.4				38.12						
7443 C	98.06								1.38			0.56			
7444 C	91.77								5.16		3.07				
7445 C	89.37		3.21		4.15						3.27				
7446 C	85.46					4			3.29			7.25			
7447 C	35.61		28.63		20.36						15.4				
7448 C			54.08		19.74						26.18				
7449 C	17.51		13.94						33.04					35.51	
7450 C	97.92					0.39						1.69			
7451 C	93.95	0.06										5.99			
7452 C	87.49								3.98			8.53			
7453 C	83.15								7.1		9.75				
7454 C	82.59	4.06										13.35			
7455 C	66.65									6.09		27.26			
7456 C	75.71			8.15								16.14			
7457 C	97.38					0.1					2.52				
7458 C	88.41										8.24	1.56		1.79	
7459 C	78.09										15.43	2.58		3.9	
7460 C											88.05		11.95		
7461 C	51.13	3.49									32.26	13.12			

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
7462 C	50.47	11.84										37.69			
7463 C	6.32	10.82										55.66		27.2	
7464 C	92.89	1.78									4.78			0.55	
7465 C	78.53	5.08									12.48		3.91		
7466 C	52.75										20.23		27.02		
7467 C	24.53										32.04		43.43		
7468 C	50.15	0.72		10.96							38.17				
7469 C	20.91	1.17		16.54							61.38				
7470 C		11.77		21.21							67.02				
7471 C	86.39										2.05		11.56		
7472 C	73.55									2.96	6.79		16.7		
7473 C	60.63	9.21	6.36								23.8				
7474 C	35.16										31.6		23.72	9.52	
7475 C	66.49										11.69		8.44	13.38	
7476 C	29.65										30.64		13.33	26.38	
7477 C										37.86	44.79		17.35		
7478 C	84.06	2.94											13		
7479 C	47.47	12.9											39.63		
7480 C	13.88	16.59											69.53		
7481 C		24.72											75.28		
7482 C		20.13											77.03	2.84	
7483 C		20.84											54.49	24.67	
7484 C		4.04											66.76	29.2	
7485 C	92.68	5.08										1.48	0.76		
7486 C	82.75	10.43										0.69	6.13		
7487 C	58.65	23.09										0.14	18.12		
7488 C	46.31	30.16											23.53		
7489 C	35.9	40.93										6.8	16.37		
7490 C	39.71	44.27										8.54	7.48		
7491 C	32.7	40.96											13.05	13.29	
7492 C	82.59	12.36											2.76	2.29	
7493 C	89.46	4.97											2.47	3.1	
7494 C	82.19	4.91											6.59	6.31	
7495 C	46.19	36.73											7.73	9.35	
7496 C	19.12	55.27											14.81	10.8	
7497 C	71.14	8.7												20.16	
7498 C	33.98	31.32											9.96	24.74	
7499 C	94.67	4.96				0.37									
7500 C	91.69	6.6				0.49								1.22	
7501 C	88.15	8.95				0.9								2	
7502 C	84.71	10.74				1.61								2.94	
7503 C	62.96	25.24				6.19					5.61				
7504 C	67.94	15.58				4.56								11.92	
7505 C	43.52	30.38				7.33								18.77	
7506 C	94.5	4.58				0.92									
7507 C	87.55	10.58				1.87									
7508 C	75.13	20.4				3.1								1.37	
7509 C	63.47	29.95				4.53								2.05	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
7510 C	35.16	36.17	22.19											6.48	
7511 C	9	53.27	29.42											8.31	
7512 C		56.77	33.53											9.7	
7513 C	89.98	0.33	8.09											1.6	
7514 C	80.86	3.41	12.59											3.14	
7515 C	67.79	6.27	20.82											5.12	
7516 C	20.21	21.11	47.25											11.43	
7517 C		32.56	52.42											15.02	
7518 C	47.4		27.22											25.38	
7519 C	49.86	6.12	15.04											28.98	
7520 C	90.65	1.61	7.05									0.69			
7521 C	78.69	13.38				6.08					1.85				
7522 C	53.17	27.3				15.86					3.67				
7523 C	45.4	4.78		39.14									10.68		
7524 C	36.08	9.44		43.52									10.96		
7525 C	46.71	31.15				16.19					5.95				
7526 C		48.72		40.09										11.19	
7527 C	98	0.5				0.1								1.4	
7528 C	94.87	1.43				0.7								3	
7529 C	92.24	1.98				1.03								4.75	
7530 C	86.77	3.84				1.57								7.82	
7531 C	70.89	9.53				3.18								16.4	
7532 C	56.77	15				4.5								23.73	
7533 C	32.39	25.51				6.7								35.4	
7534 C	97.56	0.45				0.14								1.85	
7537 C	92.55	2.34				0.25								4.86	
7536 C	88.77	3.62				0.39								7.22	
7537 C	90.59	0.3											2.4	6.71	
7538 C	86.58	0.21											3.64	9.57	
7539 C	84.75	0.6									1.65			13	
7540 C	60.61											6.82		32.57	
7541 C	98.14								0.85		1.01				
7542 C	91.86	3.39										4.41		0.34	
7543 C	90.6	0.88										3.4		5.12	
7544 C	82.16	2.05										6.74		9.05	
7545 C	59.03	5.67										16.02		19.28	
7546 C	29.91	9.54										27.7		32.85	
7547 C												39.12		60.88	
7548 C		95.7	4.3												
7549 C		90.45	9.55												
7550 C		78.44	19.5								2.06				
7551 C		75.6	17.7											6.7	
7552 C	6.06	50.79	20.04											23.11	
7553 C	23.42	31.6	13.63											31.35	
7554 C	15.62	29.98	14.6											39.8	
7555 C	21.87	56.86	18.22								3.05				
7556 C	14.6	54.04	25.54								5.82				
7557 C	7.7	50.27	32.23								9.8				

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
7558 C	4.27	44.54	39.87								11.32				
7559 C		42.74	45.06								12.2				
7560 C		35.44	48.04								16.52				
7561 C		46.36	33.69								19.95				
7562 C	58.88	16.68	19.42								5.02				
7563 C	36.39	39.06	21.63								2.92				
7564 C		62.54	34.84								2.62				
7565 C	10.64	41.07	44.36								3.93				
7566 C	13.85	38.09		37.01									11.05		
7567 C	10.34	48.33					25.82							15.51	
7568 C	19.4	37.6					21.12							21.88	
7569 C	25.86	52.75		17.9									3.49		
7570 C	31.01	45.07		20.01									3.91		
7571 C	22.96	46.73		23.73									6.58		
7572 C	14.73	45.6		29.64									10.03		
7573 C	6.31	43.87		36.19									13.63		
7574 C	11.9	35.67		35.41									17.02		
7575 C	17.98	44.05		18.33										19.64	
7576 C	60.02	20.55		16.41									3.02		
7577 C	44.79	33.65		19.15									2.41		
7578 C	32.78	38.22		26.75									2.25		
7579 C	26.45	35.4		36.15									2		
7580 C	23.92	27.74		42.46									5.88		
7581 C	0.52	24.02		51.32									24.14		
7582 C	41.9	15.26		17.93										24.91	
7583 C	17.79	58.99				19.17							4.05		
7584 C	5.82	66.28				22.23							5.67		
7585 C	9.92	59.95				22.15							7.98		
7586 C		60.06				27.91							12.03		
7587 C		55.44				29.86							14.7		
7588 C		45.85				30.45							23.7		
7589 C		46.48				31.18					22.34				
7590 C	85.29	7.79				4.15							2.77		
7591 C	50.37	30.23				13.64							5.76		
7592 C	5.85	56.59				29.74							7.82		
7593 C		58				36					6				
7594 C		46.7				36.25								17.05	
7595 C	10.92	38.26				26.69								24.13	
7596 C	19.7	29.45				18.16								32.69	
7597 C	6.02	22.11								70.28		1.59			
7598 C	5.57	24.4								66.66		3.37			
7599 C	0.7	21.54								73.4		4.36			
7600 C		26.29								65.03		8.68			
7601 C		33.84								55.78		10.38			
7602 C		24.65								59.33		16.02			
7603 C		38.06								44.87		17.07			
7604 C	96.89	1.56				1.16						0.39			
7605 C	91.15	4.79				3.57						0.49			

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
7606 C	76.6	13.32				8.98						1.1			
7607 C	57.1	25				15.7						2.2			
7608 C	18.02	46.1				31.12						4.76			
7609 C		51				39.95						9.05			
7610 C		47.72				38.78						13.5			
7611 C	88.8	1.75		6.98									2.47		
7612 C	78.72	2.81		13.55									4.92		
7613 C	71.45	3.34		17.92									7.29		
7614 C	56.94	4.5		24.13									14.43		
7615 C	40.37	3.16		32.94									23.53		
7616 C	9.13	0.32		53.19									37.36		
7617 C	45.19			23.85										30.96	
7618 C	48.65	33.59				15.64					2.12				
7619 C	27.44	44.32				26.15					2.09				
7620 C		49.52				48.11					2.37				
7621 C		43.96				52.79								3.25	
7622 C						16.69				74.71				8.6	
7623 C	2.63					8.5				76.57				12.3	
7624 C	6.11					3.07				76.13				14.69	
7625 C	31.88	42.3				25.82									
7626 C	4.44	7.15								83.87			4.54		
7627 C	7.75	2.72								83.69	5.84				
7628 C	7.48									83.42				9.1	
7629 C	19.59	0.94								56.81				22.66	
7630 C		32.45								39.94				27.61	
7631 C							1.94			62.42				35.64	
7632 C	95.51	0.92		2.4								1.17			
7633 C	78.34	7.26							12.13		2.27				
7634 C	66.6	10.07				20.39					2.94				
7635 C	32.48	9.2						56.52						1.8	
7636 C				67.07					30.88				2.05		
7637 C				55.87				29.84					14.29		
7638 C				77.86					10.09		12.05				
7639 C	77.81	3.92				7.37								10.9	
7640 C	28.7	15.73				42.02							13.55		
7641 C	5.22	9.85				71.98							12.95		
7642 C		7.81				70.04							22.15		
7643 C	5.88	20.14							56.88					17.1	
7644 C	42.59	3.14				29.35								24.92	
7645 C		28.39				51.48						20.13			
7646 C	69.43	8.6				15.95					6.02				
7647 C	39.04	5.64						50.14			5.18				
7648 C				29.56					65.59					4.85	
7649 C				26.95					65.88					7.17	
7650 C				23.94					62.29					13.77	
7651 C	7.26			16.54					58.56					17.64	
7652 C	5.1			13.93					58.25					22.72	
7653 C	77.87	4.93		9.93								7.27			

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
7654 C	74.69	4.4						14.71			6.2				
7655 C	62.53	2.33						28.26			6.88				
7656 C	12.78	13.13							68.35		5.74				
7657 C	11.87	5.14							66.64					16.35	
7658 C	17.92	4.83							57.35					19.9	
7659 C	19.99	3.37							48.82					27.82	
7660 C	86.33					4.41					3.64			5.62	
7661 C	76.38					12.09					5.72			5.81	
7662 C	40.41							45.41			14.18				
7663 C	20.52								62.34		2.76			14.38	
7664 C		14.2							71.09		14.71				
7665 C		18.04							65.88		16.08				
7666 C	28.3	17.78				30.27					23.65				
7667 C	75.67					7.6					12.06			4.67	
7668 C	69.9					11.79					14.79			3.52	
7669 C	63.18					17.17					17.87			1.78	
7670 C	47.72					26.41					25.87				
7671 C	39.82					33.47					26.71				
7672 C	34.78					35.69					29.53				
7673 C	50.93					20.05					22.49			6.53	
7674 C	78.95	1.78						9.35			9.92				
7675 C	74.83	1.97						11.35			11.85				
7676 C	69.18	1.19				16.33					13.3				
7677 C	58.25					26.21					15.54				
7678 C	46.56							34.97			18.47				
7679 C	7.39	11.06							61.25		20.3				
7680 C		12.05							67.53		20.42				
7681 C	88.53			1.04		3.22					7.21				
7682 C	74.48			2.88		6.35					16.29				
7683 C	56.93			2.43		12.23					28.41				
7684 C	42.05			1.85		17.88					38.22				
7685 C	26.62			3		20.78					49.6				
7686 C	3.36			4.1		25.5					67.04				
7687 C	23.58			22.98							16.18	37.26			
7688 C	76.88					3.98					19.14				
7689 C	68.95	0.33				4.77					25.95				
7690 C	47.73	2.59				9					40.68				
7691 C	16.34	3.63				14.65					65.38				
7692 C		5.65				20.8					73.55				
7693 C		8.2				27.31					64.49				
7694 C	10					30.33					59.67				
7695 C	86.37					1.78					9.36			2.49	
7696 C	81.41					1.68					12.55			4.36	
7697 C	72.89					2.88					18.34			5.89	
7698 C	64.26					4.37					21.66			9.71	
7699 C	53.71					6.25					27.31			12.73	
7700 C	15.49					8.35					62.57			13.59	
7701 C	16.11					8.15					60.42			15.32	

	300-MX	300-064	300-021	300-032	300-127	300-155	300-160	300-165	300-175	300-180	300-190	300-205	300-325	300-SB	300-TW
7702 C	80.31	1.35				1.97					16.37				
7703 C	70.66	1.93				2.5					24.91				
7704 C	47.81	3.6				4.38					44.21				
7705 C	22.44	6.44				8.31					62.81				
7706 C	11.99	8.46				10.47					69.08				
7707 C	7.17	11.04				14.31					67.48				
7708 C		13.13				17.5					69.37				
7709 C	83.56										10.79		2.92	2.73	
7710 C	62.49										20.79		14.25	2.47	
7711 C	36.84										34.72		25.52	2.92	
7712 C	23.32										48.67		22.69	5.32	
7713 C	6.69										52.72		33.19	7.4	
7714 C	2.03										50.66		37.66	9.65	
7715 C											50.7		32.11	17.19	
7716 C	47.93										14.05		32.02	6	
7717 C	25.47										21.89		44.8	7.84	
7718 C	13.25										30.68		45.98	10.09	
7719 C	13.65										28.17		44.23	13.95	
7720 C	7.32										25.5		48.55	18.63	
7721 C	20.77										29.84		29.9	19.49	
7722 C	10.27										34.29		29.06	26.38	
7723 C	72.52	9.88									15.05			2.55	
7724 C	55.27	16.75									25.1			2.88	
7725 C	29.69	26.97									40.86			2.48	
7726 C	16.1	30.98									48.55			4.37	
7727 C	15.03	30									46.97			8	
7728 C	19.11	26.1									42.88			11.91	
7729 C	15.69	18.94									47.8			17.57	
7730 C	44.91	11.85											35.47	7.77	
7731 C	18.63	18.39											54.1	8.88	
7732 C	16.03	39.54									37.89			6.54	
7733 C	20.21	33.07									37			9.72	
7734 C	25.18	27.56									29.59			17.67	
7735 C	32	23.04									21.43			23.53	
7736 C	37.51	16.53									20.02			25.94	
7737 C	32.86	36.28											25.9	4.96	
7738 C	22.19	28.91											44.3	4.6	
7739 C	11.68	32.07											50.69	5.56	
7740 C	13.11	29.33											49.65	7.91	
7741 C	12.98	30.23											45.54	11.25	
7742 C	17.08	27.77											38.14	17.01	
7743 C	20.76	21.54											35.56	22.14	
7744 C	38.8	53.59											4.37	3.24	
7745 C	40.43	49.33											4.98	5.26	
7746 C	41.09	45.32											5.68	7.91	
7747 C	40.62	41.57											7.27	10.54	
7748 C	43.33	35.75											8.01	12.91	
7749 C	43.89	31.64											7.42	17.05	

