

---

**Nazdar® 205 Series Digital Imaging Inks are designed as a quality alternative to Roland TR2 original inks used in the Roland TrueVis 2 printer models.**

---

## Nazdar Color Compatible Digital Ink Inkjet Inks – Color Match Statement

To accurately advise users of Nazdar color compatible digital inks as to the color match capabilities of a particular ink set, Nazdar have constructed the following rating system. The aim is to substantiate our claims by quantifying our test results and providing a practical guide to achievable results.

This system gives “grade” based on the Delta E 2000\* data generated in our in-house tests. The tests are carried out on specific types of media that represent mid-range in terms of quality and price within the target market.

We have also provided comments to help interpret the grades. However, these should be used as a guide – users should seek assistance through our Technical Service channels if unclear. Please also be aware that there are variables\*\* that may affect results in the field.

### Results

- Nazdar Ink Type: Nazdar 205 Series – 7 Colors C, M, Y, K, Lc, Lm, Lk
- OEM Ink Type: Roland TR2 Ink-set
- Printer Used: Roland VG640 Upgraded to run TR2 inks.
- Media Used: Orajet 3164g White
- RIP Used: Versaworks
- Settings: Hi-Speed, Standard, High Quality Bidirectional
- **Color Match Rating: 4**

### Rating Classification

Grade	Delta E 2000	Comment
5	0 - 1.4	Extremely accurate color match. Suitable for all applications including spot colors
4	1.5 - 3	Highly accurate color match. Suitable for most applications but may require a small amount of color management for some spot colors
3	3.1 - 5	Good general color set that can produce usable results for general graphics. Profiling recommended when accurate colors are required.
2	5.1 - 8	Not promoted as an accurate color match ink. Profiling necessary for most applications
1	8>	Not considered a color match. Custom profiling required for all uses.

## Test Conditions

The information in this document has been produced and collated at one of the Nazdar facilities or onsite at an official beta test site by a Nazdar employee.

Delta E 2000 analysis is carried out using X-rite I1Profiler Data Analyzer. Both the OEM ink and Nazdar ink charts are produced on the same printer, using the same settings and on the same roll/batch of media.

Gamut comparisons carried out using ColorThink Pro.

### **\*Delta E 2000**

Delta E is used in testing to evaluate the difference between colors produced with Nazdar inks and those of the OEM. This facilitates assessment and comparison of 873 colors and quantifies any differences. From this the average of the best 90% is used.

Delta E 2000 version of this process has been specifically selected as this gives a weighting to the gamut areas most sensitive to the human eye. Nazdar believes this allows better assessment of what users of Nazdar inks can expect in terms of printed output.

### **\*\*Variables**

There are several variables that can affect or alter the results found in the field that cannot be completely controlled or tested. These include but are not limited to:

- Media type
- Media batch
- Drift within OEM and/or Nazdar specification range
- Printer selection and condition
- RIP selection
- Printer settings
- Environmental conditions
- ICC profile selection

## Nazdar Quality Statement

Nazdar® stands behind the quality of this product. Nazdar® cannot, however, guarantee the finished results because Nazdar® exercises no control over individual operating and production procedures. While technical information and advice on the use of this product is provided in good faith, the user bears sole responsibility for selecting the appropriate product for their end use requirements. Users are also responsible for testing to determine that our product will perform as expected during the printed item's entire life cycle from printing, post print processing, and shipment to end use. This product has been specially formulated for digital printing, and it has not been tested by any other method. Any liability associated with the use of this product is limited to the value of the product purchased from Nazdar®.

Based on information from our raw material suppliers, these products are formulated to contain less than 0.06% lead. If exact heavy metal content is required, independent lab analysis is recommended.

## Manufacturers Product Offering

All colors listed below are available in 500ml pouches. Maintenance fluid is available in 500ml pouches and 1L bottles. Contact your Nazdar distributor for product availability and offering.

### Inks

Item Number	Color
LWS205CYC5	Cyan
LWS205MA15C5	Magenta
LWS205YEC5	Yellow
LWS205KKC5	Black
LWS205CL1C5	Light Cyan
LWS205MLC5	Light Magenta
LWS205KLC5	Light Black

### Flush

Item Number	Color
LWS205MFC5/1L	Maintenance Fluid

## Nazdar Ink Technologies

### Offices Worldwide

#### Nazdar Ink Technologies -World Headquarters

8501 Hedge Lane Terrace  
Shawnee, KS 66227-3290 USA  
Toll Free US: 866-340-3579  
Tel: +1 913-422-1888  
Fax: +1 913-422-2296

E-mail: [NazdarOrders@nazdar.com](mailto:NazdarOrders@nazdar.com)

Technical Support E-mail: [InkAnswers@Nazdar.com](mailto:InkAnswers@Nazdar.com)

#### Nazdar Limited – EMEA

Battersea Road, Heaton Mersey  
Stockport, England SK4 3EE  
Tel: + 44 (0)-161-442-2111  
Fax: + 44 (0)-161-442-2001

EMEA Technical Service E-mail: [technicalserviceUK@nazdar.com](mailto:technicalserviceUK@nazdar.com)

#### Nazdar – Asia Pacific

11, Changi North Street 1 #03-03/04  
Singapore 498823  
Tel: +65-6385 4611

E-mail: [aspac@nazdar.com](mailto:aspac@nazdar.com)